



Shenzhen Okview Technology Co., Ltd

Manufacturer of high-end display equipments

Expert in visual information solutions

Date: 20241009

Table of Content

01. Company Introduction

02. Product Categories

03. Application Scenarios

04. OKV Advantages

01. Company Introduction

- About OKV
- Cooperation Modes
- Corporate Culture

About OKV - Company Introduction



33.3333mn RMB
Registered Capital



50,000m²
of Total Area



10+ Years of
Industry Experience



4
Automated
Production Lines



1
Specialized
Assembly Line



100unit/h
High-efficiency
Production Capacity



60 Countries
Worldwide
Business Reaching



500mn RMB
Revenue



4000+
Installation
Engineers




Headquarters - Shenzhen



Production Base - Dongguan

About OKV - Organizational Structure





OEM

Original Equipment Manufacturer

OKV produce products tailored to brand owners' design and specification needs, and the brand owners can sell the products under their own brands.

Advantages:

By leveraging our manufacturing capabilities, brand owners can focus on brand building, marketing, and customer service.



ODM

Original Design Manufacturer

OKV create standardized products that brand owners can customize slightly (e.g., logos, software, hardware) and sell under their own brands.

Advantages:

We provide a comprehensive service from design to production. Brand owners can opt for existing ODM designs, cutting down R&D time and costs.



JDM

Joint Design Manufacturer

OKV partners on product design and manufacturing. This model may entail sharing resources, technologies, and intellectual property to develop a new product or enhance existing ones. Partners may jointly undertake the costs and risks associated with research and development, while also sharing in the resulting profits.



ACC

Agent Channel Cooperate

The agent cooperation models include brand agency and channel agency. After signing the cooperation agreement, OKV will provide comprehensive product training and service support to ensure that agents can quickly expand their market presence and lower the barriers to entry.



Business Philosophy

- Professionalism
- Diligence
- Pragmatism
- Excellence



Values

- Partner-Centric



Core Principle

- Integrity
- Innovation
- Service
- Cooperation
- Sharing



Vision

- OK View, OKV Display.
- To become a world-leading enterprise in the field of information visualization!



Holiday benefits, team training, exhibitions, annual meetings, and other events.

02. Product Categories

- IFPD Series
- Information Distribution Series
- Commercial Displays
- Accessories

Outlook A: Top, left, and right borders are black,
with the lower border wise grey



Outlook B: All black, with the lower border
concave



Sizes: 55/65/75/86/98/110 inch

Upper Border: Without camera & microphone; with camera & microphone

Lower Border: Front interfaces; dual speaker grills; magnetic stylus slot; buttons

IFPD Series - Customized Products 36&33 Details



Camera & Microphone



Motherboard A. Front Interfaces+Buttons



Motherboard B. Front Interfaces+Button 1



Motherboard B. Front Interfaces+Button 2



Motherboard B. Front Interfaces+Button 3



Outlook A. Magnetic stylus pen, silkscreen printing (varies based on the motherboard)



Outlook A. Magnetic stylus pen, groove (varies based on the motherboard)



Outlook B. Magnetic stylus pen, groove

IFPD Series - Customized Products 36&33 Optional Motherboard A



Motherboard A	RK3588	AML311D2	AML982.81.A	AML982.81.U1	AML982.81.U2	AML982.61.U1	AML982.61.U2	GKV V100
Screen Size	65/75/86/98/110	65/75/86/98/110	55/65/75/86/98	55/65/75/86/98	55/65/75/86/98	55/65/75/86	55/65/75/86	65/75/86
Interfaces								
(Mini)LINE OUT	1	1	1	1	1	1	1	1
RJ45 IN	1(1000M)	1(1000M)	1(1000M)	1(1000M)	1(1000M)	1(1000M)	1(1000M)	1
RJ45 OUT	1	1	1	1	1	0	0	0
PC AUDIO IN	1	1	1	1	1	1	0	1
VGA	1	1	1	1	0	1	0	1
USB2.0	1	1	1	1	1	1	1	2
OPTICAL OUT	1	0	1	1	1	1	1	1
RS232	1	1	1	1	1	1	1	1
TOUCH OUT	3(USB3.0)	2(USB3.0)	1(USB2.0)	1(USB2.0)	1(USB2.0)	1(USB2.0)	1(USB2.0)	1(USB2.0)
USB Type C	1	1	1	1	0	0	0	1
HDMI IN	3	2	2	2	2	2	2	1
HDMI OUT	1	1	1	1	0	0	0	1
DP	1	1	1	0	0	0	0	0
USB Type C OUT	1	0	0	0	0	0	0	0
USB3.0	2	2	2	2	2	1	1	0
COAX	0	1	0	0	0	0	0	0
(Mini)MICIN	0	0	0	0	0	1	1	1
Android System								
System Version	Android 13.0	Android 14.0	Android 13.0	Android 13.0	Android 13.0	Android 13.0	Android 13.0	Android 12.0
CPU	A76*4+A55*4 2.1GHz	A73*4+A53*4 2.2GHz	A55*4 1.9GHz	A55*4 1.9GHz	A55*4 1.9GHz	A55*4 1.9GHz	A55*4 1.9GHz	A55*8 1.2GHz
GPU	MALI-G610 MC4	G52*8	Mali G52MP2	Mali G52MP2	Mali G52MP2	Mali G52MP2	Mali G52MP2	Mali G52MP4
RAM/ROM	8+64G/16+256G	4+32G/8+128G	8+128G	4+32G	4+32G	4+32G	4+32G	4+32G/8+128G
WiFi	WiFi6	WiFi6	WiFi6	WiFi6	WiFi6	WiFi6	WiFi5	WiFi6
Sound Channel	2.2	2.1	2.1	/	2	2.1	2	2.1
Touch System								
Touch Point&Sensing Type	20/50 points IR Touch	20/40 points IR Touch						
Response Time	≤2ms	≤10ms						
Min. Object Size	1.5mm	2mm						
Supported System	Windows10/87XP/AndroidLinux/Mac os/Chrome							
Touch Tool	Opaque objects&Fingers							
Accuracy	±1mm							

IFPD Series - Customized Products 36&33 Optional Motherboard B



Motherboard B	MTK8195	AML311D2.B	AML311D2.U	RK3576.B	MTK9679.B	MTK9679.U	GKV V100.A	GKV V100.UA	GKV V100.US
Screen Size	65/75/86/98/110	55/65/75/86/98/110	55/65/75/86/98/110	65/75/86/98/110	55/65/75/86/98/110	55/65/75/86/98	55/65/75/86	55/65/75/86	55/65/75/86
Interfaces									
TF Card	1	1	1	1	1	1	1	1	1
USB 2.0	1(Android)	2(Android)	1(Android)	1(Android)	1(Public)	1(Public)	1(Android)	1(Android)	1(Android)
USB OTG	1(Type-C out)	1(Micro USB)	1	1(Type-B Touch)	1(Type-B Touch)	1(Type-B Touch)	0	0	0
USB 3.0	2(Follow)	2(Follow)	1(Follow)	2(Public)	1(Android)	1(Android)	1(Public)	0	0
HDMI IN	2(2.1)	2(2.1+2.0)	1(2.1)	2	2	2	1	1	1
Touch USB	1(2.0)	2(2.0)	1(2.0)	1(2.0)	1(2.0)	1(2.0)	1(2.0)	1(2.0)	1(2.0)
DP	1	1	0	1	1	0	1	0	0
HDMI OUT	1(2.1)	1(2.1)	1(2.1)	1	Attached small board	0	1	1	0
LAN IN/OUT	1	1	1	2		2	1	2	1
RS232	1	1	1	1	1	1	1	1	1
Earphone/Line out	Default Line out	Default Line out	Default Line out	1	1	1	Default Line out	Default Line out	Default Line out
MIC IN	1	1	1	1	1	1	1	1	0
VGA	0	0	0	0	0	0	1	0	0
VGA AUDIO IN	0	0	0	0	0	0	1	0	0
Type-C IN	1 (full-featured)	1 (full-featured)	0	Default 65W	Default 65W	0	0	0	0
Type-C(USB2.0)	1	0	0	0	0	0	0	0	0
Type-C OUT	1	0	0	1	0	0	0	0	0
COAX/SPDIF	Default COAX								
Android System									
Version	Android 13.0	Android 13.0	Android 13.0	Android 14.0	Android 14.0	Android 14.0	Android 14.0	Android 14.0	Android 14.0
CPU	A78*4+A55*4 2.6GHz	A73*4+A53*4 2.2GHz	A73*4+A53*4 2.2GHz	A72*4+A53*4 2.2GHz	A73*4, 1.2GHz	A73*4, 1.2GHz	A55*8 1.2GHz	A55*8 1.2GHz	A55*8 1.2GHz
GPU	G57 MC5	G52*8	G52*8	G52	G52	G52	Mali-G52*4	Mali-G52*4	Mali-G52*4
RAM/ROM	8+64G/16+256G	8+128G	4+32G/8+128G	8+64G/16+256G	4+32G/8+128G	4+32G/8+128G	4+32G/8+128G	4+32G/8+128G	4+32G/8+128G
WiFi	WiFi6	WiFi6	WiFi6	WiFi6	WiFi6	默认WiFi5, 选配WiFi6	WiFi6	WiFi6	默认WiFi5, 选配WiFi6
Sound Channel	1	1	0	2.2	2.2	0	2.1	0	0
Touch System									
Touch Point&Sensing Type	20/50 points IR Touch	20/40 points IR Touch							
Response Time	≤2ms	≤10ms							
Min. Object Size	1.5mm	2mm							
Supported System	Windows10/87XP/AndroidLinux/Mac os/Chrome								
Touch Tool	Opaque objects&Fingers								
Accuracy	±1mm								



IFPA1/A2- Infrared Touch

- 4K: 65/75/86/98(Only A1) inch
- Android 13.0 8+64G/16+256G(Optional 32+256G)
- 48MP AI Camera&8-array microphone(Only A1)
- Android: 20 points touch; OPS:50 points touch
- NFC: Screen lock
- Full-featured Type-c, pluggable WiFi module, 1 pen-lifting sensor



IFPA3 - Infrared Touch

- 4K: 65/75/86 inch, 90% NTSC
- Android 13.0 16+256G
- 48MP AI Camera&8-array microphone&Top-mounted 2.2 aerial sound channel with 2 tweeters and 2 woofers
- 50 points touch
- NFC: Screen lock&APP lock&mirroring
- Full-featured Type-c, pluggable WiFi module, 2 pen-lifting sensor



IFPA5 - Infrared Touch

- 4K: 65/75/86 inch
- Android 14 8+128G NPU 6T
- Standard 8-array microphone, optional 50MP AI camera
- 2.0 Sound channel 15W*2 speakers
- 50 points touch
- Full-featured Type-c, pluggable WiFi module
- Support Google EDLA certification(paid option)



IWB52- Infrared Touch

- 4K: 65/75/86 inch
- Android 13.0 8+64G/16+256G(Optional 32+256G)
- 13/48MP Camera&6/8-array microphone (Optional)
- 20 points touch
- Full-featured Type-c, pluggable WiFi module



IWB35 - Capacitive Touch

- 4K: 65/75/86 inch, fully laminated
- Android 13.0 8+128G
- 48MP camera&8-array microphone
- 20 points touch
- Wifi 5/6
- Full-featured Type-c



IWB50- Infrared Touch, Dual OPS

- 4K: 65/75/86 inch, 20 points touch
- 48MP camera&8-array microphone(optional)
- Google Certified Android OPS: RK3588 8+64GB, 16+256G
- Google Certified Android OPS: A78*4+A55*4; Mali G57 MC5; 4+32G(Max: 16+128G)
- Windows OPS: i5/i7; RAM:max 32G; ROM:256G/512G



IWB37 Smart Whiteboard-IR/Capacitive Touch

- Main screen 4K: 86 inch Zero bonding technology
- Both the main screen and the secondary screen can be written on with chalk.
- Android 14.0 4+32G
- 13MP camera&8-array microphone
- 20 points touch
- Type-c Interface



TTA1 Interactive Touch Table - Capacitive Touch

- 4K: 43/55 inch
- Android 13.0 4+32G
- 5mm anti-glare glass
- 10 points touch
- Support OPS computer



IWB36 21:9 - Infrared Touch

- 5K: 92/105 inch
- Android 13.0 8+128G
- 48MP camera&8-array microphone
- 20 points touch
- Wifi 6
- Full-featured Type-c



32 Incell Mobile Screen - Capacitive Touch

- 2K: 32 inch
- Android 13.0 8+128G
- Mobile stand&7800mAh lithium-ion battery
- Rotates horizontally&vertically, tilts in all directions, adjusts up & down
- Camera & microphone (optional)



27 Incell Portable Screen - Capacitive Touch

- 2K:27 inch
- Android 12.0 8+128G
- Close to sleep&14.4V/6800mAh battery for 5-6H use
- Rotates&tilts in multiple directions
- 4-mic array inside
- 2 tweeters, 2 woofers



Transparent OLED All-in-one Machine - Capacitive Touch

- 2K: 55 inch
- Android 12.0 8+64G
- 10 points capacitive touch
- Self-luminous OLED technology
- 150000:1 high brightness, and 120% wide color gamut
- 40% transparency, 97% screen-to-body ratio



DSA1W



DSB1W



DSA1/A2W-TD



ID1001



Wall-Mounted Digital Signage

- 2K: 22/24/32/43 inch; 4K:55/65/75/86 inch; ID1001: 1280*800
- DSA1W:32/43/55 inch, V100 2+32G, 350nit, slim bezel
- DSB1W:43/55/65/75/86 inch, V100 2+32G, Standard 500nit, ultra-thin and ultra-narrow Bezel! Optional 500/700/1000/1500nit
- DSA1W-G:32/43/55 inch, V100 2+32G, 350nit, with tempered glass
- DSA1W-TD: 22/24/32 inch, ID1001; capacitive touch, RK3568 2+16G, ultra-thin design!
- DSA2W-TD: 32/43/55 inch, Capacitive touch, V100 2+32G, 350nit, with tempered glass

Floor-standing Digital Signage - with tempered glass

- 2K:43 inch; 4K:55/65 inch
- DSA1F-G:43/55/65 inch; V100 2+32G, 350nit
- DSA1F-TH:43/55/65 inch; Infrared touch, V100 2+32G, 350nit
- DSA1F-TD:43/55/65 inch; capacitive touch V100 2+32G, 350nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



DSC1W Single-sided Digital Signage

- 2K: 43 inch; 4K:55/65/75/86 inch;
- V100 2+32G
- Wide-temperature-range OC: 43/55/65 2000-2500nit; 75/86 2000-3000nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



DSS1W Dual-screen Digital Signage

- 2K: 43 inch; 4K:55 inch
- V100 2+32G, Including hanging bracket
- One side with wide-temperature-range OC 2500nit & One side with standard OC 700nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



DSH1W-G Outdoor Wall-Mounted Digital Signage

- 2K:43 inch; 4K:55/65 inch
- V100 2+32G
- Designed to be rainproof, dustproof, and sun-exposure resistant, requiring no maintenance, and equipped with tempered glass.
- Wide-temperature-range OC:2500-3000nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



DSH1F-G Outdoor Floor-Standing Digital Signage

- 4K:55/65/75 inch
- V100 2+32G
- Waterproof and dustproof outdoor, with tempered glass.
- Wide-temperature-range OC:2500-3000nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



DSS1F-G Welcome Signage

- 2K:43 inch; 4K:55 inch
- V100 2+32G, 350nit
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



Irregular-Shaped Screen

- Can be installed horizontally, vertically, or at an angle.
- Support remote scheduling and appointment publishing with information distribution system, power on/off, etc
- Support playing multimedia format files such as images, music, videos, text, etc



Video Wall

- 2K: 46/49/55 inch; 4K: 65 inch
- Joint: 0.88/1.7/1.8/3.5mm
- Industrial-grade panel with metal rear case, can be installed horizontally&vertically, multi-screen tiling
- Optional remote control via information distribution box
- Supports image roaming, stretching, single-screen & full-screen display



Commercial Display

- 2K: 32/43 inch; 4K: 55/65/75/86/98/110 inch
- Support OPS Computer: 65/75/86/98/110 inch
- Remote control: RS232 loop connection, overall control with a single ethernet cable
- Can be installed horizontally&vertically



Hybrid Smart Board

- 4K: 55/65/75/85/100 inch
- Android 13.0 2+16G
- Conference Mode: Wireless screen casting, Tencent Rooms, quick file transfer
- TV Mode: WeTV(Tencent)
- Dual WiFi modules



Commercial Display

- 4K: 98/110 inch; 5K: 92/105 inch
- Android 11.0 4+32G
- Supports OPS computer
- Remote control: RS232 loop connection, overall control with a single ethernet cable
- Horizontal and vertical installation
- Dual WiFi modules, AP+STA operation mode

Product Accessories



OPS- Android 8195



OPS- Android 3588



OPS - Windows



Wireless Dongle



Smart Pen



Document Camera



Camera for Meeting



Omnidirectional
Microphone



Omnidirectional
Microphone



Omnidirectional
Microphone



Video Bar




Mobile Stand



Mobile Stand
- A-Frame Style



Mobile Stand
- Electric Lift



Floor Stand -
Aluminum Alloy



Floor Stand -
Cabinet Style



Hydraulic Stand



Controller

03. Application Scenarios

OKV has been committed to solving customers' problems with traditional displays, including low clarity, small screen sizes, and lack of interaction.

- Product Selling Points
- OKV Solutions
- High-Definition Display
- Touch & Write
- Wireless Mirroring
- Remote Conference

Application Scenarios - Product Selling Points



4K Ultra-HD



Smart Writing



Dual Systems



Touch&Write



Wireless Mirroring



Scan to Share



Video Conference



Camera




Microphone



High-wattage Speakers



Traditional Display



OKV Display



Application Scenarios - High-Definition Display



Meeting Room



Classroom



Transportation Hubs



Surveillance



Exhibition Hall



Training Room



Shopping Centers



Security

Commercial Display

In meeting rooms and exhibition halls, 4K ultra-HD large screens display high-resolution content, enhancing corporate image.

Education & Training

In schools and training centers, 4K ultra-HD large screens offer clear visuals, enhancing teaching engagement and improving the learning experience.

Public Information Display

In public places such as transportation hubs and shopping centers, 4K ultra-HD large screens can be used to display navigation information, advertisements, and announcements, enhancing their attractiveness.

Surveillance & Security

4K ultra-HD screens in surveillance systems offer more details, aiding faster image recognition and analysis for enhanced efficiency.

Application Scenarios - Touch & Write



Small to Medium-sized Meetings



Small to Medium-sized Meetings (≤50m², ≤20 people)

Annotation tools or whiteboards enhance efficiency in group discussions, brainstorming, training, and business talks.

Large Meetings



Large Meetings (≥50m², >20 people)

Smart pens can be paired with annotation and writing on meeting documents such as corporate training materials and administrative reports, or for remote page turning and other controls.

Education



Education

Smart whiteboards can import multimedia files such as images and videos, enhancing teaching engagement and catering to the learning needs of students at various age levels.

Training



Large Lecture Trainings

Through multi-screen linking and split-screen modes, presentation content can be displayed more clearly to a larger audience.

Recommended



Smart pen:supports functions such as writing, PPT page turning, laser pointing, and wireless mouse operation.



OPS: pluggable computer, standard with Windows operating system, supports installing more apps.



Wireless Dongle: Casting via wireless dongle is more stable, with two-way control.

Application Scenarios - Wireless Mirroring



ScreenShare/QuickShare/EShare



Software Screen Mirroring

Download the mirroring app on your device as prompted. Supports up to 9 screens displayed simultaneously.

Pre-installed



Paid software



Type-C Interface/NFC



iOS-AirPlay Mirroring

Apple phones and computers can mirror their screens directly via AirPlay without downloading any additional software. Just ensure they are on the same local network or connected to the device's hotspot.

Airplay



Windows/Mac



Wireless Screen Mirroring - Computer

Supports wireless screen projection via USB/Type-c interfaces, enabling desktop mirroring, screen extension, and window mirroring. Using a wireless screen mirroring device results in less transmission delay and a more stable display.

Wireless Dongle



Type-C Interface/NFC



Wireless Dongle- Mobile Phone Type-C/NFC

A compatible screen mirroring dongle supporting Type-C & NFC for mobile phones, along with a conference tablet, is required.



USB



Type-C



NFC(optional)



Video Conference

Equipped with an integrated high-definition camera, array microphones and speakers. Offer crisp video conferencing visuals. 3D noise reduction for voice clarity, utilizes 3D noise reduction for voice clarity, and ensures lossless audio quality. Supports the installation of various video conferencing software, including Tencent Meeting, DingTalk, Huawei Cloud Meeting, Zoom, Google Meet, and Microsoft Teams.



Opt for Built-in Camera & Microphone

- 1300W/4800W/AI 48MP high-definition camera
- 6/8-array microphone

AI Camera



Sound Source Localization: Tracking and highlighting the speaker in meeting scenarios.

Recommended Accessories



Omnidirectional

Camera

Smart Pen

04. OKV Advantages

- Self-owned Factory
- R&D Advantages
- Market Distribution
- Service Process

R&D

The research and development team has been deeply rooted in the industry for decades, not only understanding market trends and customer needs, but also continuously increasing investment in research and development to ensure product market competitiveness through technological advancements and to meet market demands.

- Stable structure, stable during transportation
- Safe electricity
- 58 Software copyrights & patents

Supply Chain

Years of industry experience enable accurate prediction of market demand and timely inventory management. Having established solid partnerships with suppliers and logistics service providers to ensure supply reliability. Collaborating with industry leaders guarantees the quality of raw materials.

- OC: BOE, CSOT, LG
- Motherboard: CVT, LANGO
- Power Supply Board: Megmeet

Production

Our factory ensures production stability via robust supply chain management, achieving standardized and large-scale production to meet deadlines flexibly while maintaining high productivity.

- Comprehensive qualifications ensure top-notch quality
- Consistent capacity guarantees timely delivery

Market

Leveraging self-production, direct sales, and geographical advantages, we effectively control costs to gain a competitive price edge. Our participation in international exhibitions attracts global resources, boosts brand influence, and broadens sales channels.

- Top 100 Foreign Trade Enterprises in Longhua District, Shenzhen
- Specialized, Novel, and High-quality Enterprise
- National High-tech Enterprise
- Sold in 53 Countries Worldwide

Self-owned Factory - Factory Overview



Reception



Office



Exhibition Hall



Meeting Room



Training Room



R&D Lab



Dust-free Factory



Dust-free Factory



Production Lines



Testing Area



Profiled Material Warehouse



OC Warehouse



Electronic Component Warehouse



Finished Product Warehouse



After-sale

Self-owned Factory - Production Advantages



Dispensing Machine



Hipot Tester



Vibration Tester



Particle Counter



Luminance Tester



ESD Testing



Screen Cable Tester




Torque Tester for Electric Screwdriver





Structure Customization

- Profile Frame and Color
- Tempered Glass
- Front Interfaces
- NFC Lock, Touch Lock



Software Customization

- Background
- Icons
- Layout





Electricity Customization

- Motherboard
- Brightness
- QLED Solutions



Audio and Video Configurations

- 1300/4800/4800AI/5000AI Camera
- 6/8-array Microphone
- Integrated Speaker: Power, woofer




Collaborating with leading global enterprises, OKV strives to revolutionize information visualization.




Market Advantages - Global Exhibitions




Industry Distribution




Annual Sales Volume



Customer Distribution




Market Advantages - Market Distribution



- 1000+ Customers In China
- 280+ Customers Overseas


Market Advantages - Project Cases



Market Advantages - Project Cases



Market Advantages - Project Cases





Pre-Sale

- One-on-one product demonstration by sales manager.
- Tailored solutions based on customer requirements.
- Assist in making purchasing decisions through market analysis
- Provide samples for testing and evaluation for large orders
- Offer professional technical advice and support



Sale

- Business specialists track orders for timely delivery.
- B2B bank payments are supported.
- Logistics experts handle shipping & installation.
- Account managers stay in touch, addressing concerns promptly.



After-Sale

- 5,000 professional installation and after-sales service personnel.
- Free operation training until proficiency is guaranteed.
- One-year warranty with nationwide coverage and lifelong maintenance.
- 7x24-hour hotline: 400-9009698.

THANKS

